

# Chemistry

## Standard level

### Paper 3

Thursday 17 May 2018 (morning)

Candidate session number

1 hour

--	--	--	--	--	--	--	--	--	--	--	--

#### Instructions to candidates

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answers must be written within the answer boxes provided.
- A calculator is required for this paper.
- A clean copy of the **chemistry data booklet** is required for this paper.
- The maximum mark for this examination paper is **[35 marks]**.

Section A	Questions
Answer all questions.	1 – 2

Section B	Questions
Answer all of the questions from one of the options.	
Option A — Materials	3 – 5
Option B — Biochemistry	6 – 9
Option C — Energy	10 – 14
Option D — Medicinal chemistry	15 – 20



### Section A

Answer **all** questions. Answers must be written within the answer boxes provided.

1. The table summarizes some properties of graphite and graphene.

Property	Graphite	Graphene
Delocalization (Hybridization)	Yes ( $sp^2$ )	Yes ( $sp^2$ )
Electron mobility / $\text{cm}^2 \text{V}^{-1} \text{s}^{-1}$	1800	15 000–200 000
Average bond length / nm	0.142	0.142
Distance between layers / nm	0.335	Not applicable (N/A)
Tensile strength / Pascals	$4.8\text{--}76 \times 10^6$	$1.3 \times 10^{11}$
Density / $\text{g cm}^{-3}$	1.80–2.23	(N/A)
Melting point at $1 \times 10^6 \text{ kPa}$ / K	4300	4510
Specific surface area / $\text{m}^2 \text{g}^{-1}$	90	2630

[Source: © Graphenea. Used with permission]

- (a) (i) Graphene is two-dimensional, rather than three-dimensional, material.

Justify this by using the structure of graphene and information from the table. [2]

.....

.....

.....

.....

- (ii) Show that graphene is over 1600 times stronger than graphite. [1]

.....

.....

.....

.....

(This question continues on the following page)



**(Question 1 continued)**

- (iii) Identify a value from the table which can be used to support the information about graphene given below. [1]

Removed for copyright reasons

Electrons in a solid are restricted to certain ranges, or bands, of energy (vertical axis). In an insulator or semiconductor, an electron bound to an atom can break free only if it gets enough energy from heat or a passing photon to jump the “band gap”, but in graphene the gap is infinitely small.

.....  
.....

- (b) Diamond, graphene, and graphite are all network solids.

Suggest, giving a reason, the electron mobility of diamond compared to graphene. [2]

.....  
.....  
.....  
.....

**(This question continues on the following page)**



(Question 1 continued)

- (c) The melting point of diamond at  $1 \times 10^6$  kPa is 4200 K (in the absence of oxygen).

Suggest, based on molecular structure, why graphene has a higher melting point under these conditions.

[2]


.....

.....

.....

.....

2. Organic molecules can be visualized using three-dimensional models built from kits such as that pictured below.



[Source: © International Baccalaureate Organization 2018]

- (a) Describe **two** differences, other than the number of atoms, between the models of ethane and ethene constructed from the kit shown.

[2]

.....

.....


.....

.....

(This question continues on the following page)



(Question 2 continued)



[Source: © International Baccalaureate Organization 2018]

- (b) (i) The above ball and stick model is a substituted pyridine molecule (made of carbon, hydrogen, nitrogen, bromine and chlorine atoms). All atoms are shown and represented according to their relative atomic size.

Label each ball in the diagram, excluding hydrogens, as a carbon, C, nitrogen, N, bromine, Br, or chlorine, Cl. [3]

- (ii) Suggest **one** advantage of using a computer generated molecular model compared to a ball and stick 3-D model. [1]

.....  
.....  
.....

- (iii) Pyridine, like benzene, is an aromatic compound.

Outline what is meant by an aromatic compound. [1]

.....  
.....



### Section B

Answer **all** of the questions from **one** of the options. Answers must be written within the answer boxes provided.

#### Option A — Materials

3. Inductively Coupled Plasma (ICP) used with Mass Spectrometry (MS) or Optical Emission Spectrometry (OES) can be used to identify and quantify elements in a sample.

(a) ICP-OES/MS can be used to analyse alloys and composites. Distinguish between alloys and composites.

[2]


.....
.....
.....

(Option A continues on the following page)



**(Option A, question 3 continued)**

- (b) ICP-MS is a reference mode for analysis. The following correlation graphs between ICP-OES and ICP-MS were produced for yttrium and nickel.



[Source: [http://www.emse.fr/~moutte/kola/report/cmp\\_icpms.htm](http://www.emse.fr/~moutte/kola/report/cmp_icpms.htm) © Jacques Moutte]

Each  $y$ -axis shows concentrations calculated by ICP-OES; each  $x$ -axis shows concentrations for the same sample as found by ICP-MS.

The line in each graph is  $y = x$ .

Discuss the effectiveness of ICP-OES for yttrium and nickel.

[2]

.....

.....

.....

.....

**(Option A continues on the following page)**




Turn over


**(Option A, question 3 continued)**

- (c) The following graphs represent data collected by ICP-OES on trace amounts of vanadium in oil.

**Graph 1:** Calibration graph and signal for  $10 \mu\text{g kg}^{-1}$  of vanadium in oil



**Graph 2:** Calibration of vanadium in  $\mu\text{g kg}^{-1}$



[Source: © Agilent Technologies, Inc.1998. Reproduced with Permission, Courtesy of Agilent Technologies, Inc.]

**(Option A continues on the following page)**



**(Option A, question 3 continued)**

- (i) Identify the purpose of each graph. [2]

Graph 1:

.....

.....

Graph 2:

.....



.....

- (ii) Calculate, to four significant figures, the concentration, in  $\mu\text{g kg}^{-1}$ , of vanadium in oil giving a signal intensity of 14950. [1]

.....

.....

- (iii) Vanadium(V) oxide is used as the catalyst in the conversion of sulfur dioxide to sulfur trioxide.



- Outline how vanadium(V) oxide acts as a catalyst. [2]

.....

.....

.....


.....

**(Option A continues on the following page)**



**(Option A continued)**

4. Propene can polymerize to form polypropene.



(a) Sketch four repeating units of the polymer to show atactic and isotactic polypropene. [2]

Atactic:

Isotactic:

(b) (i) State the chemical reason why plastics do not degrade easily. [1]

.....

.....

(ii) Compare **two** ways in which recycling differs from reusing plastics. [2]

.....

.....

.....

.....

.....

**(Option A continues on the following page)**



**(Option A, question 4 continued)**

(c) Civilizations are often characterized by the materials they use.

Suggest an advantage polymers have over materials from the iron age. [1]

.....  
.....  
.....

5. Chemical vapour deposition (CVD) produces multi-walled carbon nanotubes (MWCNT) of a more appropriate size for use in liquid crystals than production by arc discharge.

(a) State the source of carbon for MWCNT produced by arc discharge and by CVD. [2]

Arc discharge:  
.....  
  
CVD:  
.....

(b) Discuss **three** properties a substance should have to be suitable for use in liquid crystal displays. [3]

.....  
.....  
.....  
.....  
.....  
.....  
.....

**End of Option A**





**(Option B, question 6 continued)**

- (d) Outline **one** impact food labelling has had on the consumption of foods containing different types of lipids.

[1]

.....

.....

.....

- (e) Determine, to the correct number of significant figures, the energy produced by the respiration of 29.9g of  $C_5H_{10}O_5$ .

$$\Delta H_c (C_5H_{10}O_5) = 205.9 \text{ kJ mol}^{-1}$$

[2]

.....

.....

.....

.....

- (f) Explain why lipids provide more energy than carbohydrates and proteins.

[2]

.....

.....

.....

.....

**(Option B continues on the following page)**



**(Option B continued)**

7. Amino acids are the building blocks of proteins.

(a) Draw the dipeptide represented by the formula Ala-Gly using section 33 of the data booklet.

[2]

(b) Deduce the number of  $^1\text{H}$  NMR signals produced by the zwitterion form of alanine.

[1]

.....

.....

.....

(c) Outline why amino acids have high melting points.

[2]

.....

.....

.....

.....

**(Option B continues on the following page)**



**(Option B continued)**

8. Green Chemistry reduces the production of hazardous materials and chemical waste.

Outline **two** specific examples or technological processes of how Green Chemistry has accomplished this environmental impact.

[2]

.....  
.....  
.....  
.....  
.....  
.....

9. Explain the solubility of vitamins A and C using section 35 of the data booklet.

[2]

Vitamin A:  
.....  
.....

Vitamin C:  
.....  
.....

**End of Option B**



**Option C — Energy**

**10.** Crude oil is a useful energy resource.

(a) Outline **two** reasons why oil is one of the world’s significant energy sources. [2]

.....

.....

.....

.....

(b) (i) Formulate an equation for the cracking of  $C_{16}H_{34}$  into two products with eight carbon atoms each. [1]

.....

.....

(ii) Identify, giving a reason, which product in (b)(i) could be used in petrol (gasoline). [1]

.....

.....

.....

(c) (i) Outline how higher octane fuels help eliminate “knocking” in engines. [1]

.....

.....

.....

(Option C continues on the following page)



**(Option C, question 10 continued)**

- (ii) The performance of hydrocarbons as fuels can be improved by catalytic reforming.

Outline how catalytic reforming increases a fuel's octane rating. [1]

.....

.....

.....

**11.** Carbon dioxide is a product of the combustion of petrol.

- (a) Explain the molecular mechanism by which carbon dioxide acts as a greenhouse gas. [3]

.....

.....

.....

.....

.....

.....

- (b) Discuss the significance of **two** greenhouse gases, other than carbon dioxide, in causing global warming or climate change. [2]

.....

.....

.....

.....

**(Option C continues on the following page)**



**(Option C continued)**

12. The process of converting heat to electricity is limited by its thermal (Carnot) efficiency.

$$\text{Thermal efficiency} = \frac{\text{temp. of steam at source(K)} - \text{temp. heat sink(K)}}{\text{temp. of steam at source(K)}} \times 100$$

(a) Calculate the thermal efficiency of a steam turbine supplied with steam at 540°C and using a river as the choice of sink at 23°C.

[1]

.....  
.....  
.....

(b) Power plants generating electricity by burning coal to boil water operate at approximately 35% efficiency.

State what this means and suggest why it is lower than the thermal efficiency.

[2]

.....  
.....  
.....  
.....  
.....

**(Option C continues on the following page)**



**(Option C continued)**

13. Nuclear power is another source of energy.

(a) Compare and contrast the process of nuclear fusion with nuclear fission.

[3]

One similarity:

.....  
.....

Two differences:

.....  
.....  
.....  
.....  
.....

(b) Dubnium-261 has a half-life of 27 seconds and rutherfordium-261 has a half-life of 81 seconds.

Estimate what fraction of the dubnium-261 isotope remains in the same amount of time that  $\frac{3}{4}$  of rutherfordium-261 decays.

[1]

.....  
.....  
.....

**(Option C continues on the following page)**



**(Option C continued)**

**14.** One method of producing biodiesel is by a transesterification process.

- (a) Deduce the equation for the transesterification reaction of pentyl octanoate,  $C_7H_{15}COOC_5H_{11}$ , with methanol. [1]

.....  
.....  
.....

- (b) Outline why the ester product of this reaction is a better diesel fuel than pentyl octanoate. [1]

.....  
.....

**End of Option C**



**Option D — Medicinal chemistry**

15. Drug testing is necessary to determine safe and effective doses.

Distinguish between the lethal dose ( $LD_{50}$ ) and the toxic dose ( $TD_{50}$ ). [2]

.....

.....

.....

.....

.....

16. (a) Penicillins and aspirin are important medicines.

(i) Describe how penicillin combats bacterial infections. [2]

.....

.....

.....

.....

(ii) State how penicillins may be modified to increase their effectiveness. [1]

.....

.....

(b) State the type of reaction used to synthesize aspirin from salicylic acid. [1]

.....

(c) Explain why aspirin is **not** stored in a hot, humid location. [2]

.....

.....

.....

.....

(Option D continues on the following page)



Turn over

**(Option D continued)**

**17.** Morphine and diamorphine (heroin) are both opioids.

Explain why diamorphine is more potent than morphine using section 37 of the data booklet. [2]

.....

.....

.....

.....

**18.** Excess acid in the stomach is often treated with calcium carbonate.

(a) Formulate a chemical equation for the neutralization of stomach acid with calcium carbonate. [1]

.....

.....

.....

(b) Calculate the amount, in mol, of stomach acid neutralized by an antacid tablet containing 0.750 g calcium carbonate. [1]

.....

.....

.....

.....

(c) Explain how omeprazole (Prilosec) regulates pH in the stomach. [2]

.....

.....

.....

.....

**(Option D continues on the following page)**



**(Option D continued)**

**19.** Antiviral medications such as zanamivir (Relenza) are commonly available for consumer use.

(a) Identify the names of **two** functional groups present in zanamivir using section 37 of the data booklet. [2]

.....  
.....  
.....  
.....

(b) Distinguish between bacteria and viruses. [2]

.....  
.....  
.....  
.....

**20.** Drug synthesis often involves solvents.

Identify a common hazardous solvent and a Green solvent that could replace it. [2]

Hazardous solvent:  
.....

Green solvent:  
.....

**End of Option D**



Please **do not** write on this page.

Answers written on this page  
will not be marked.



24EP24