

Markscheme

November 2022

Chemistry

Standard level

Paper 2

14 pages

© International Baccalaureate Organization 2022

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organisation du Baccalauréat International 2022

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organización del Bachillerato Internacional, 2022


Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

Subject Details: Chemistry Standard level Paper 2 Markscheme


Candidates are required to answer **ALL** questions. Maximum total = **[50 marks]**.



1. Each row in the “Question” column relates to the smallest subpart of the question.
2. The maximum mark for each question subpart is indicated in the “Total” column.
3. Each marking point in the “Answers” column is shown by means of a tick (**✓**) at the end of the marking point.
4. A question subpart may have more marking points than the total allows. This will be indicated by “**max**” written after the mark in the “Total” column. The related rubric, if necessary, will be outlined in the “Notes” column.
5. An alternative word is indicated in the “Answers” column by a slash (/). Either word can be accepted.
6. An alternative answer is indicated in the “Answers” column by “**OR**”. Either answer can be accepted.
7. An alternative markscheme is indicated in the “Answers” column under heading **ALTERNATIVE 1 etc.** Either alternative can be accepted.
8. Words inside chevrons « » in the “Answers” column are not necessary to gain the mark.
9. Words that are underlined are essential for the mark.
10. The order of marking points does not have to be as in the “Answers” column, unless stated otherwise in the “Notes” column.
11. If the candidate’s answer has the same “meaning” or can be clearly interpreted as being of equivalent significance, detail and validity as that in the “Answers” column then award the mark. Where this point is considered to be particularly relevant in a question it is emphasized by **OWTTE** (or words to that effect) in the “Notes” column.
12. Remember that many candidates are writing in a second language. Effective communication is more important than grammatical accuracy.
13. Occasionally, a part of a question may require an answer that is required for subsequent marking points. If an error is made in the first marking point then it should be penalized. However, if the incorrect answer is used correctly in subsequent marking points then **follow through** marks should be awarded. When marking, indicate this by adding **ECF** (error carried forward) on the script.
14. Do **not** penalize candidates for errors in units or significant figures, **unless** it is specifically referred to in the “Notes” column.
15. If a question specifically asks for the name of a substance, do not award a mark for a correct formula unless directed otherwise in the “Notes” column. Similarly, if the formula is specifically asked for, do not award a mark for a correct name unless directed otherwise in the “Notes” column.
16. If a question asks for an equation for a reaction, a balanced symbol equation is usually expected, do not award a mark for a word equation or an unbalanced equation unless directed otherwise in the “Notes” column.
17. Ignore missing or incorrect state symbols in an equation unless directed otherwise in the “Notes” column.


Question		Answers	Notes	Total
1.	(a)	$\text{«}\%N = \frac{2 \times 14.01 \text{ g mol}^{-1}}{(2 \times 14.01 \text{ g mol}^{-1} + 4 \times 1.01 \text{ g mol}^{-1} + 3 \times 16.00 \text{ g mol}^{-1})} \times 100\% = » 35.00\%» \checkmark$		1
1.	(b)	«Brønsted-Lowry» acid AND can donate a proton/H ⁺ OR «Brønsted-Lowry» acid AND cannot accept proton/H ⁺ ✓		1
1	(c)	$\left[\begin{array}{c} \text{:O:} \\ \text{..} \quad \\ \text{O=N-O:} \\ \text{..} \end{array} \right]^{1-}$ ✓	<p>Negative charge must be included on square bracket or singly-bonded oxygen atom.</p> <p>Accept </p> <p>Accept any combination of dots/crosses or lines to represent electron pairs.</p>	1
1.	(d)	«pH = – log (1.07 × 10 ⁻⁵) =» 4.97 ✓		1

Question			Answers	Notes	Total
1.	(e)	(i)	« $q = mc\Delta T = 25.32 \text{ g} \times 4.18 \text{ J g}^{-1}\text{K}^{-1} \times (25.2^\circ\text{C} - 0.8^\circ\text{C}) \Rightarrow 2580 \text{ «J»} \checkmark$	<i>Do not accept a negative value.</i>	1
1.	(e)	(ii)	« $2.58 \times 10^3 \text{ J} \times \frac{1 \text{ kJ}}{1000 \text{ J}} \times \frac{1 \text{ mol}}{25.69 \text{ kJ}} \Rightarrow 0.100 \text{ «mol»} \checkmark$ « $0.100 \text{ mol} \times 80.06 \text{ g mol}^{-1} \Rightarrow 8.01 \text{ «g»} \checkmark$	Award [2] for the correct final answer. Accept range of 8.00 – 8.10 «g». If $3.11 \times 10^3 \text{ J}$ used then answer is 9.69 «g».	2
1.	(e)	(iii)	«fractional / % uncertainty in $\Delta T = \frac{0.4}{24.4} / 0.02 / 2\% \Rightarrow$ ✓ «fractional / % uncertainty in $m = \frac{0.01}{25.32} / 0.0004 / 0.04\% \Rightarrow$ OR fractional / % uncertainty in m is much smaller than uncertainty in $\Delta T \checkmark$ « $2\% \times 8.01 \text{ g} \Rightarrow 0.2 \text{ «g»} \checkmark$	Award [3] for correct final answer. Accept range of 0.1 g – 0.2 «g». If 6.55 g used then the answer is 0.1 «g».	3
1.	(e)	(iv)	«% error = $\left \frac{9.50 \text{ g} - 8.01 \text{ g}}{9.50 \text{ g}} \right \times 100 \% \Rightarrow 15.7\% \checkmark$	Accept range 14.7 – 15.8%. If 6.55 g used then answer is 31.1%.	1
1.	(f)	(i)	$\text{NH}_4\text{NO}_3(\text{s}) \rightarrow \text{N}_2\text{O}(\text{g}) + 2\text{H}_2\text{O}(\text{l}) \checkmark$		1

Question			Answers	Notes	Total
1.	(f)	(ii)	<p>«5.00 g ÷ 80.06 g mol⁻¹ =» 0.0625 mol «NH₄NO₃» ✓</p> <p>«1:1 mol ratio»</p> <p>«0.0625 mol N₂O × $\frac{22.7 \text{ dm}^3}{\text{mol}}$ =» 1.42 «dm³» ✓</p>	<p>Award [2] for correct final answer.</p> <p>Accept range 1.36 – 1.43 «dm³».</p> <p>Accept calculations based on PV=nRT.</p>	2
1.	(f)	(iii)	<p>2 x – 285.8 «kJ mol⁻¹» ✓</p> <p>«1mol (82 kJ mol⁻¹) + 2mol (– 285.8 kJ mol⁻¹) – 1mol (– 366 kJ mol⁻¹) =» –124 «kJ» ✓</p>	Award [2] for correct final answer.	2
1.	(f)	(iv)	<p>Lewis structure:</p> <p>:N≡N—O: ✓</p> <p>Shape: linear ✓</p>	<p>Accept</p> <p>:N=N=O: ..</p> <p>OR</p> <p>:N—N≡O .. .</p> <p>Only award M2 if the shape corresponds to that expected for the Lewis structure given.</p>	2

Question		Answers	Notes	Total
2.	(a)	 ✓		1
2.	(b)	seven/7 ✓		1
2.	(c)	<p>«bond in ring is» shorter AND more electrons are shared OR «bond in ring is» shorter AND partial double/multiple bonding/bond order 1.5 ✓</p>		1
2.	(d)	<p>nitrogen AND larger number of protons/nuclear charge/Z_{eff} OR nitrogen AND smaller «atomic» radius ✓</p>	<i>Accept nitrogen AND further along period.</i>	1

Question			Answers	Notes	Total
2.	(e)	(i)	 primary amine/-NH ₂ ✓ rest of structure ✓	<i>Do not penalize using "N1".</i>	2
2.	(e)	(ii)	$1s^2 2s^2 2p^6 3s^2 3p^6 4s^1 3d^{10}$ / $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10} 4s^1$ <i>OR</i> $[Ar]4s^1 3d^{10}$ / $[Ar]3d^{10} 4s^1$ ✓		1
2.	(e)	(iii)	 both E_a values marked AND left one labelled catalysed ✓		1
2.	(e)	(iv)	increases rate AND there is a greater area under the curve past activation energy <i>OR</i> increases rate AND greater proportion of/more molecules have «kinetic» $E \geq E_a$ «(cat) than E_a (uncat)» ✓	<i>Do not award a mark for general statements about catalysts such as "provides alternative pathway" or "lowers E_a".</i>	1

Question		Answers	Notes	Total
3.	(a)	$1s^2 2s^2 2p^6 3s^2 3p^6 3d^6$ OR $[Ar]3d^6 \checkmark$		1
3.	(b)	$\frac{(63 \times 69) + (65 \times 31)}{100}$ OR $65x + (1 - x)63 = 63.62 \text{ AND } x = 0.31 / 31\% \text{ AND } 1 - x = 0.69 / 69\% \checkmark$		1
3.	(c) (i)	 all 4 species correctly labelled ✓ arrow showing electron flow from anode to cathode in the external circuit ✓	Accept any soluble salt of copper(II) for Cu^{2+} and any soluble salt of iron(II) for Fe^{2+} . <i>Do not apply ECF for M2.</i>	2
3.	(c) (ii)	$Fe(s) \rightarrow Fe^{2+}(aq) + 2e^- \checkmark$	Accept equilibrium arrow. <i>Do not award ECF for $Cu(s) \rightarrow Cu^{2+}(aq) + 2e^-$.</i>	1

Question			Answers	Notes	Total
3.	(c)	(iii)	«keep» each half-cell/electrolyte «electrically» neutral ✓	<i>Accept balance charges/ions.</i> <i>Accept allow ion flow «between cells».</i>	1
3.	(c)	(iv)	NO ₃ ⁻ to anode/Fe/left ✓ K ⁺ «and Fe ²⁺ » to cathode/Cu/right ✓	<i>Accept other specific anions in addition to nitrate for M1.</i> <i>Award [1 max] for “anions/negative ions to anode AND cations/positive ions to cathode”.</i>	2

Question			Answers	Notes	Total
4.	(a)	(i)	<p>Structure:</p> <p>ester functional group ✓ rest of structure ✓</p> <p>Empirical Formula: C_3H_5O ✓</p>	Accept condensed/skeletal formula.	3
4.	(a)	(ii)	<p>dilute adds «excess» water OR water is a product ✓</p> <p>shift left AND decreases yield ✓</p>		2

Question		Answers	Notes	Total
4.	(a)	<p>(iii) A has hydrogen bonding/bonds «and dipole-dipole and London/dispersion forces» AND B has dipole-dipole «and London/dispersion forces»</p> <p>OR</p> <p>A has hydrogen bonding/bonds AND B does not ✓</p> <p>intermolecular forces are weaker in B</p> <p>OR</p> <p>hydrogen bonding/bonds stronger «than dipole-dipole» ✓</p>		2
4.	(b)	brown/orange/red/yellow to colourless ✓	<i>Do not accept clear for colourless.</i>	1

Question		Answers	Notes	Total
5.	(a)	<p>«0.40% × 500.0g = » 2.0 «g» ✓</p> <p>«2.0 g × $\frac{1 \text{ mol S}}{32.07 \text{ g}}$ = 0.062 mol of S» = 0.062 «mol of SO₂» ✓</p>	<p>Award [2] for correct final answer.</p> <p>Accept 0.063 «mol».</p>	2
5.	(b)	<p>SO₂(g) + H₂O(l) → H₂SO₃(aq)</p> <p>OR</p> <p>SO₂(g) + ½O₂(g) → SO₃(g) AND SO₃(g) + H₂O(l) → H₂SO₄(aq)</p> <p>OR</p> <p>SO₂(g) + ½O₂(g) + H₂O(l) → H₂SO₄(aq) ✓</p>	Accept ionized forms of acids.	1
5.	(c)	<p>Any two of:</p> <p>depth/volume «of solution» ✓</p> <p>colour/darkness/thickness/size/background of mark ✓</p> <p>intensity of lighting in the lab ✓</p>	<p>Accept same size flask.</p> <p>Accept position of observation/person observing.</p> <p>Accept same equipment/apparatus.</p> <p><i>Do not accept catalyst/particle size/pressure/time.</i></p>	2 max

Question		Answers	Notes	Total
5.	(d)	<p><i>Any two of:</i></p> <p>remove sulfur from coal ✓</p> <p>add lime during combustion ✓</p> <p>not allow sulfur oxides to be released into the environment ✓</p> <p>reduce proportion/percentage of energy/power produced by «the combustion of» coal ✓</p>	<p><i>Accept any valid method to wash coal and remove sulfur content for M1.</i></p> <p><i>Accept any valid combustion/post-combustion method to remove sulfur oxides.</i></p> <p><i>Accept any suggestion that would reduce the amount of coal that is burnt or would reduce the damage caused.</i></p> <p><i>Do not accept answers that only reduce production of SO₂/CO₂ from other fuels.</i></p> <p><i>Accept “improve efficiency of energy production from coal”.</i></p> <p><i>Accept “use coal of lower sulfur content” OR “cleaner coal”.</i></p>	2 max